Listing of the Claims:

- Claim 1. (Withdrawn) Novel thrombolytic enzyme named Thrombinase having a molecular weight in the range of 31,000 to 32000 useful for dissolving blood clots.
- Claim 2. (Withdrawn) Novel thrombolytic enzyme named Thrombinase as claimed in claim 1 having a molecular weight of 31700 useful for dissolving blood clots.
- Claim 3. (Currently amended) A process for preparation of thrombolytic enzyme, named as Thrombinase having a molecular weight in the <u>range</u> of 31000 to 32000 which comprises
 - (i) Culturing the filtrate of *Bacillus sphaericus serotype* H5a 5b in a culture medium consisting of yeast extract with one or more of constituents selected from peptone, sodium acetate, beef extract, sodium chloride, Soya peptone, and ammonium sulphate,
 - (ii) Removing the cell formed by cross flow filtration using 0.22μ filter separating cells in cross flow filtration using a 0.22μ filter from a cell supernatant,
 - (iii) Subjecting the cell supernatant thus obtained to two step ultra filtration using a cut off membrane of at least 100,000 1,00,000 MW (Molecular Weight) cut off membrane followed by ultra filtration of the filtrate thus obtained using 10,000 MW cut off membrane,
 - (iv) Salting out the retentate with ammonium sulphate,
 - (v) Subjecting the resulting precipitate to dialysis,

- (vi) Re-precipitating the precipitate using ice-cold acetone,
- (vii) Reconstituting in buffer,
- (viii) Decolorizing by using modified CDR (Cell Debris Remover) treatment, dialyzing, lyophilizing,
- (ix) Purifying firstly by ion exchange chromatography followed by gel filtration chromatography and
- (x) Dialyzing the fraction showing fibrinolytic activity and lyophilizing to obtain purified Thrombinase having a molecular weight in the range of 31,000 to 32000 Daltons.
- Claim 4. (Original) A process as claimed in claim 3 wherein the amount of the constituents present in the Culture medium employed is 0.03 to 1.5% of yeast extract, 0.2 to 1.5% peptone, 1 to 1.6% sodium acetate, 0.3 to 0.5% beef extract, 0.2 to 0.5% sodium chloride, 0.5 to 1% Soya peptone, and 0.68% ammonium sulphate.
- Claim 5. (Previously presented) A process as claimed in claim 3 wherein the pH of the culture medium used is in the range of 7.2 to 8.0.
- Claim 6. (Previously presented) A process as claimed in claim 3 wherein the amount of ammonium sulphate used is in the range of 20 to 40%.
- Claim 7. (Previously presented) A process as claimed in claim 3 wherein the buffer used is Tris 0.01 M and the pH is 8.0.

Claim 8. ((Previously presented) A process as claimed in claim 3 wherein the amount of ice-cold acetone and crude enzyme used are in the ratio of 1:1 to 1:1.5 (v/v).

Claim 9. (Withdrawn) The use of the novel enzyme named Thrombinase having a molecular weight in the range of 31,000 to 32000 for dissolving blood clots.

Claim 10. (Cancelled).

Claim 11. (New) A process as claimed in claim 3 wherein the amount of the constituents present in the Culture medium employed is 0.03 to 1.5% of yeast extract, 0.2 to 1.5% peptone, 1 to 1.6% sodium acetate, 0.3 to 0.5% beef extract, 0.2 to 0.5% sodium chloride, 0.5 to 1% Soya peptone, and 0.68% ammonium sulphate; wherein the pH of the culture medium used is in the range of 7.2 to 8.0, whereby the product of (x) has the capacity for dissolving blood clots.